

54. Holzinger M, Hirsch A, Bernier P, Duesberg GS, Burghard M. A new purification method for single-wall carbon nanotubes (SWNTs). *Appl. Phys. A*. 2000;70: 599-602.
55. Zhao B, Hu H, Niyogi S, Itkis ME, Hamon MA, Bhowmik P, Meier MS, Haddon RC. Chromatographic purification and properties of soluble single-walled carbon nanotubes. *J. Am. Chem. Soc.* 2001;123: 11673-11677.
56. Voznyakovskii AP, Neverovskaya AY, Otvalko JA, Gorelova EV, Zabelina AN, Lebedev SV. Facile synthesis of 2D carbon structures as a filler for polymer composites. *Nanosystems: Physics, Chemistry, Mathematics*. 2018;9(1): 125-128.
57. GR 54552-2011. *Rubbers and rubber compounds. Determination of viscosity, stress relaxation, and scorch characteristics using a Mooney viscometer*. Moscow: Standartinform; 2018.

THE AUTHORS

Garishin O.K.

e-mail: gar@icmm.ru

ORCID: 0000-0001-7384-7366

Svistkov A.L.

e-mail: svistkov@icmm.ru

ORCID: 0000-0002-4754-5214

Voznyakovskii A.P.

e-mail: voznap@mail.ru

ORCID: 0000-0002-5979-3661

Tchypkina I.M.

e-mail: vniisk@bk.ru

Neverovskaya A.Yu.

e-mail: anna-neverovskaya@yandex.ru

ORCID: 0000-0001-7813-666X

Shadrin V.V.

e-mail: shadrin@icmm.ru