





















- [19] Liang H, Liu G, Han X. Atomistic simulation on the stiffening and softening mechanism of nanowires. In: Liu G, Tan V, Han X. (eds.) *Computational Methods*. Dordrecht: Springer; 2006. p.1667-1672.
- [20] Johansson D, Hansson P, Melin S. Lattice optimization of Si-Cu interfaces on atomic scale. *Comp. Mater. Sci.* 2017;128: 59-66.
- [21] Plimpton S. Fast parallel algorithms for short-range molecular dynamics. *J. Comp. Phys.* 1995;117(1): 1-19.
- [22] Plimpton S, Thompson A, Crozier P, Kohlmeyer A. *LAMMPS Molecular Dynamics Simulator*. Available from: <http://lammps.sandia.gov/> [Accessed 29th November 2019].
- [23] Jelinek B, Groh S, Horstemeyer MF, Houze J, Kim SG, Wagner GJ, Moitra A, Baskes MI. Modified embedded atom method potential for Al, Si, Mg, Cu, and Fe alloys. *Phys. Rev. B.* 2012;85(24): 245102.
- [24] Tadmor EB, Miller RE. *Modeling materials: continuum, atomistic and multiscale techniques*. Cambridge University Press; 2011.
- [25] Baskes MI. Modified embedded-atom potentials for cubic materials and impurities. *Phys. Rev. B.* 1992;46(5): 2727.
- [26] Daw MS, Baskes MI. Semiempirical, quantum mechanical calculation of hydrogen embrittlement in metals. *Phys. Rev. B.* 1983;50(17): 1285.
- [27] Daw MS, Baskes MI. Embedded-atom method: Derivation and application to impurities, surfaces, and other defects in metals. *Phys. Rev. B.* 1984;29(12): 6443.
- [28] Savitzky A, Golay MJ. Smoothing and Differentiation of Data by Simplified Least-Squares Procedures. *Analytical Chem.* 1964;36(8): 1627-1639.
- [29] Stukowski A. Visualization and analysis of atomistic simulation data with OVITO- the Open Visualization Tool. *Modelling and Simul. Mater. Sci. Eng.* 2010;18(1): 015012.